Faculty of Science & School of Nursing Safety Committee (SHSC) Meeting Minutes for November 26th, 2015, 10:00 AM, room S309

Attendance Aug 2015-June 2016 (X = present) (A = absent) (P = proxy received)

Magtines				`_			(, (-	F - 4	xy re		
Meeting		8.	9.	10.	11	12.	1		2		_		Notes
Dates		27	24	29	26	17	1.	2.	3.	4.	5.	6.	
Chan,		T 7	T 7	•	.								
Janine	Resp	X	X	X	X								
McKenzie,													
Wendy	Nursing	P	P	X	X								
Hammer,													
Trent	Chemistry	X	P	P	P								
Jyrkkanen,	Safety &												
Stacey	EM	X	A	X	X								
Prescott,													
Walter	ARET	A	A	A	A								
Purdy,													
Susan	Biology	X	A	X	X								
Lettinga,	Chemistry/												
Marten	Co-Chair	X	P	X	X								
Robinson,													
Lesley	Math	A	A	A	A								
Horton,													
Jane	UPrep	A	A	X	X								
Sorensen,													
Jacque	NRS	X	A	A	P								
Taylor,	Physics												
Colin	/Co-Chair	X	X	X	X								
Urban,													
Joanna	Micro	A	A	A	A								
Van													
Wagoner,													
Nancy	Geology	X	A	A	P								
Walczak,													
Sonia	AHT	P	A	X	P								
Duggan,													
Bunny	recorder	X	X	X	A								

1. Adoption of agenda APPROVED and ADOPTED

2. Review of minutes from September 24th
Errors and Omissions: none MOTION APPROVED

- 3. Old Business
 - a) ID Badges

Colin will bring the issue up at the January FLC. After some discussion with Dennis Acreman, it was decided that the issue will be tackled on a departmental basis. Susan will discuss the issue at the FPSE Safety Meeting.

b) Chemical storage bunker (Chemistry) (Trent, Marten)

Bad news on the bunker front. The *request for proposal* working its way through the system has been collapsed. Apparently, having two different contractors – suppler and installer – was a problem. We are now waiting to see if the bunker proposal violates city by-laws before a new request for proposal is implemented.

c) NMR alarm (Trent) signage needed for NMR alarm it is working

Alarm is working. Signage to be checked to see if appropriate (Trent).

d) Fire extinguishers in S333 and S335 (Wendy)

Fire extinguishers have been installed.

e) WHMIS training for employees (Stacey)

The link for WHMIS training is repeated below:

http://www.ccohs.ca/products/courses/whmis workers/

f) Washroom drains (and smells)

Washroom maintenance is handled by Facilities. If there is a bad smell or the traps have possibly run dry, please contact Facilities.

4. New Business

a) December SHSC Meeting

December SHSC at 12:30 in S309 on the 17th

b) Winter SHSC Meeting time

To be decided at December SHSC

c) Incidents (Stacey)

- 1. TCC Bomb Threat There was an after action debriefing session for SEM staff and a review of the alert system.
- 2. Bio-safety deadline was December 1st. Carolyn Fardy and a new person are working on a protocol.
- 3. Spill prevention protocol Be aware that janitorial staff are not trained in this regard.

d) Other Discussion

- 1. Smoking from designated areas appears to be creeping closer to building doors. All staff should remind smokers to stay in designated areas.
- 2. Summer school members are reminded that there will be many labs running this coming summer.

NEXT MEETING: December 17, 2015 S270 12:30